


NWB041-2

PATIENT TRANSPORTATION TROLLEY



NWB041-2

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW):	1930x640 mm
▪ Table height adjustment:	630-930 mm
▪ Back plate adjustment:	0-75° (±10°)
▪ Reverse Trendelenburg:	0-15°
▪ Trendelenburg:	0-15°



Technical configuration

<input checked="" type="checkbox"/> Hydraulic pump	2 pcs
<input checked="" type="checkbox"/> Back rest air spring	1 pc
<input checked="" type="checkbox"/> ABS side rail	1 set
<input checked="" type="checkbox"/> 8" Castors with central locking	4 pcs
<input checked="" type="checkbox"/> Directional wheel	1 pc
<input checked="" type="checkbox"/> Iv pole previsions	2 pcs
<input checked="" type="checkbox"/> Iv pole	1 set
<input checked="" type="checkbox"/> Central locking break pedal	2 sets
<input checked="" type="checkbox"/> Directional pedal	2 pcs
<input checked="" type="checkbox"/> Transfer mattress	1 pc



Metal material

Baosteel from Fortune Global 500
Panasonic Robotic ensure 360° full smooth
wedding.



Plastic

Environmental plastic can be sterilized in
100°C, tensile upto 30MPa.



Steels | Painting

11 Process epoxy painting, ASTM testing anti-
bacterial, paint thickness 0.12 mm, brightness 60°,
paint can resist 50 kg impact.



Brake

Break spring keep qualified after 10,000times uninteruped break.



Hydraulic pumps

Height adjustment, trendelenburg and revised tendelenburg through two USA hydraulic pumps.




Center wheel

Can be engaged to facilitate direction control, enabling users to navigate the stretcher easily in hectic and dynamic environments.



Rising

Hydraulic treadle for rise.



Falling

① Leg section lows down to make head higher.
② Back section lows down to make leg section higher.
③ Step on the middle of the pedal, make the bed base fall down steadily.



Castors

Four double side casters of 6 inch diameter, simultaneously lockable by the step pedal at both sides.
TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts.



Mattress

Water proof mattress with 2 belts.



Side rail

Bed platform and guardrail are made of high quality PP material.



IV pole

Stainless Steel Column with plastic hook.



NUMBER WIN

MEDICAL TECHNOLOGY



7x24

Online 24 Hours for Sales Service
Timely Response for Clients' Problems

+86 18021239272

Suzhou Number Win Medical Technology Co.,Ltd.

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



Company video



General catalogue