NWE-132

ELECTRIC DIALYSIS CHAIR





NWE-132

FEATURES AND HIGHLIGHTS







Technical parameters

 Size 	1650×580mm
 Back 	770×580mm
 Seat 	470×580mm
• Leg	410×540mm
Seat height	550mm
 Armrest 	500×160mm
 Mattress thickness 	60mm
Back rest lifting	20°- 70°
Leg rest lifting	20° -90°
 Armrest swing out 	0°-270°
Voltage and frequency:	100-240 V · 50/60 Hz
 Plug as required (hospital grade) 	

Technical configuration


☑ Hand controller	1pc
✓ Power cord	1pc
☑ 3" silent caster	1set
☑ Small dining table	1pc



SteelsBaosteel from Fortune Global 500.



11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



WeldingPanasonic Robotic ensure 360° full smooth wedlding.



Electric Motor

Linear motor, with UL/ROHS/EN standard. Noise under 50 dB, with lifetime 20,000 times movement.



Chair Cover

Optional genuine leather or supebric cover, with artisanal making, comfortable hand feeling.



Table Board

Adjustable ABS tray table, with antiskid convex edge, tank for cup and cellphone. USB/5V optional. Very convenient for donor.



Handrail

Upgraded armrest, can be right-left, front-back adjustable. Donor can control universal position. Armrest is R120° concave curve, avoid donor's arm sliding, ensure the donor's safety and comfortable.



Dustproof Base Cover

With dustproof base cover, protect motors and lines, easy to clean.



NUMBER WIN



+86 18021231901

- No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
- export@number-win.com
- www.number-win.com















