# NWE-132 ELECTRIC DIALYSIS CHAIR





## NWE-132 FEATURES AND HIGHLIGHTS



### Technical parameters

<ul> <li>Size</li> </ul>	1650×580mm
• Back	770×580mm
• Seat	470×580mm
• Leg	410×540mm
Seat height	550mm
Armrest	500×160mm
Mattress thickness	60mm
Back rest lifting	20°- 70°
<ul> <li>Leg rest lifting</li> </ul>	20°-90°
<ul> <li>Armrest swing out</li> </ul>	0°-270°
<ul> <li>Voltage and frequency:</li> </ul>	100-240 V · 50/60 Hz
<ul> <li>Plug as required (hospital grade)</li> </ul>	

### Technical configuration

☑ Hand controller	1pc
✓ Power cord	lpc
☑ 3'' silent caster	1set
Small dining table	1pc




**Steels** Baosteel from Fortune Global 500.



#### Plastic

11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



Welding Panasonic Robotic ensure 360° full smooth wedlding.





#### **Chair Cover**

Optional genuine leather or supebric cover, with artisanal making, comfortable hand feeling.



#### Table Board

Adjustable ABS tray table, with antiskid convex edge, tank for cup and cellphone. USB/5V optional. Very convenient for donor.





#### Handrail

Upgraded armrest, can be right-left, front-back adjustable. Donor can control universal position. Armrest is R120° concave curve, avoid donor's arm sliding,ensure the donor's safety and comfortable. **Dustproof Base Cover** With dustproof base cover, protect motors and lines, easy to clean.



# NUMBER WIN



+86 18021239272

♥ No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

() www.number-win.com





As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

General catalogue