# NWM037(C)

### PATIENT TROLLEY





## NWM037(C)

# Back plate adjustment







#### FEATURES AND HIGHLIGHTS

#### MAIN TECHNICAL PARAMETERS

• Size	1960*700*(620-880)mm
<ul> <li>Back-rest</li> </ul>	0-75°
<ul><li>Knee-rest</li></ul>	0-35°
<ul> <li>Leg Plate Flating</li> </ul>	0-5°



#### **TECHNICAL CONFIGURATION**

Aluminum alloy side rail Side Rail	1pc
☑ 5" Covered Castors	4pcs
☑ IV Pole	1set
☑ Handle Crank	3pcs
☑ Debris Plate	1pc
☑ Oxygen Bottle Holder	1pc







**Bed Frame** 

The whole frame used high quality S.S. with the mirror surface polishing



**Bed Surface** 

The stretcher surface made by phenolic compact board.much thinner and easier to X-ray



**Handle Crank** 

The bed with three function, controlled by manual crank



#### **Bumper Strip**

The bumper strip add extra 6pcs rivets on each side to make sure the fastness.



#### Guardrail

Aluminum alloy side rail,5-staff, knocked-down type, Tight by screw, easy to change if it is broken.



5' silence caster, advanced protection universal brake wheel, easy to move, simple to operate, reliable performance



Adjustable stainless steel I.V pole, outside diameter  $\Phi$ 19\*1,Inside diameter  $\Phi$ 16\*1,Load capacity: 5KG,F. fixed deviced was added and eusure the I.V pole will be very stable with no shaking.



1pc Debris Plate



1pc Oxygen Bottle Holder



### **NUMBER WIN**



+86 18021239272

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com















