

NWX01-5

BABY CRIB



NWX01-5



FEATURES AND HIGHLIGHTS

Technical parameters

External size (LxWxH)	810×520×990 mm
Trendelenburg	18°

Technical configuration

<input checked="" type="checkbox"/> Bassinet	1pc
<input checked="" type="checkbox"/> 3" Covered Castors	4pcs
<input checked="" type="checkbox"/> IV Pole Prevision	1pc
<input checked="" type="checkbox"/> IV Pole	4pcs
<input checked="" type="checkbox"/> Utility Basket	1pc
<input checked="" type="checkbox"/> Adjustable Air Spring	4pcs



Material

Stainless steel frame, baosteel from Fortune Global 500.




Painting

11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



Baby Basin

Transparent baby basin, environmentally acylic non-toxic, odorless, can be sterilized at temperatures above 100 °C.




Trendelenburg

The backward tilt design adopts pneumatic lifting mode, which is stable and can prevent the infant from vomiting after eating.



Castor

3" covered casters. TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts.



Utility Basket

There is a litter basket at the bottom to store the baby's items.



Mattress

Custom mattress, easy disassembly and cleaning, optional.



IV Pole

Full SS IV pole, bearing 15kg.





NUMBER WIN

MEDICAL TECHNOLOGY

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



7x24

Online 24 Hours for Sales Service
Timely Response for Clients' Problems

+86 18021239272

Suzhou Number Win Medical Technology Co.,Ltd.

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com



Company video



General catalogue